Veterinary Imaging Solution



# Equipment solution for canine veterinarians

Are you looking for a powerful and comfortable portable generator to optimize your radiology activity?

Our complete line of X-Ray generators allows us to meet this perfectly. Why? The equipment offered, recognized in traveling radiology, benefits from significant technical know-how in order to best adapt to all the constraints related to your activity.





# PXP20HF



meX+20



# meX+20BT



#### Economical and lightweight X-Rays 90kV/20mA Lightweight portable x-ray machine

- Power: 1,6kW, 90kV / 20mA, 70kHz, high frequency
- Range: 40-90kV, increment 1kV, 0,3-50mAs., Focal Spot: 1,2mm
- Library APR, memory PROM: 4, touchscreen,
- Remote control function by hand switch, aluminum carrying case (included)
- Weight: 8,6 kg, single laser, halogen lamp

#### Lightweight portable x-rays with 100kV

# Efficiency greater than PXP 20HF, suitable for exposure of limbs, equines and small animal fields

- Power: 1,6kW, 100kV/20mA, 70 kHz, high frequency
- Range: 40 100kV, 1kV Step, 0,3 50mAs, Point focal : 1,2mm
- Library APR, memory PROM : 4, touchscreen
- Remote control function by hand switch, aluminum carrying case (included)
- Weight: 9,8 kg, dual laser, lamp LED

## 1.6 kW hybrid portable x-ray machine

## Lightweight X-ray machine for mobile use

- Hybrid: operation by internal battery or external power supply
- Power : 1,6kW, 100kV/20mA, 70kHz, high frequency
- Range : 40 100kV, 1kV Step, 0,3 50mAs, Point focal : 1,2mm
- Library APR, memory PROM : 15, touchscreen
- Remote control function by hand switch, aluminum carrying case (included)
- Full charging time: approx. 4 hours, exposure max. 750 per charge
- Weight : 11,2kg (incl. BATTERY), dual laser, lamp LED

# meX+20BT lite

# Ultra light hybrid powered by portable X-rays with 1.6kW Loads of pros for outdoor and equine use

- Hybrid : operation by internal battery or external power supply
- Power : 1,6kW, 90kV/20mA, 75kHz, high frequency
- Range : 50 90 kV, increment 1 kV, 0,4 20 mAs, focal 1,2 mm
- Library APR, memory PROM : 21, touchscreen
- Remote control function by hand switch, aluminum carrying case (included)
- Full charging time: approx. 4 hours, max. 550 exposures per charge
- Weight: 7,2 kg (Inc. BATTERy), dual laser, lamp LED

# meX+40



# meX+40 BT



## Universal X-Rays portable of 2,4 kW

Universal high power x-ray machine for various radiography applications

- Power : 2,4kW, 100kV/35mA, 70kHz, high frequency
- Range : 40 100kV, 1kV Step, 0,4 100mAs, Point focal : 1,2mm
- Library APR, memory PROM : 8, touchscreen

- Remote control function by hand switch, aluminum carrying case (included)

- Weight : 12,8 kg, dual laser, lamp LED

#### Hybrid portable X-ray machine with a power greater than 2.4kW

#### Universal X-ray machine ideal for radiography of large structures

- Hybrid: operation by internal battery or external power supply
- Power : 2,4kW, 100kV/35mA, 70kHz, high frequency
- Range : 40 100kV, 1kV Step, 0,4 100mAs, Point focal : 1,2mm
- Library APR, memory PROM : 21, touchscreen
- Remote control function by hand switch, aluminum carrying case (included)
- Charging time: approx. 4 hours, Max. 650 exposures per charge
- Weight: 14,2kg (incl. BATTERY), dual laser, lamp LED

# meX+60

# High power for excellent x-ray images - Power: 3,2kW, 100kV/60mA, 70kHz, high frequency

- Range : 50 100kV, 1kV Step, 0,4 100mAs, Point focal : 2mm
- Library APR, memory PROM : 8, touchscreen
- Remote control function by hand switch, aluminum carrying case (included)
- Weight : 14,6kg, dual laser, lamp LED

Powerful portable X-ray with3,2kW

# meX+100

## The most powerful compact portable x-rays with 5 kW and capacitor storage

#### Built-in high performance capacitor for stable and reliable power

- Power: 5,0kW, 110kV/100mA, 75kHz, high frequency
- Range : 40 110kV, 1kV Step, 0,1 200mAs, Point focal : 1,8mm
- Library APR, memory PROM : 750, touchscreen
- Aluminium transport case (included)
- Weight: 19,6 kg, dual laser, lamp LED







# Enjoy the best comfort for your canine activity

X-ray column and table for your portable generator Suitable for use with analog or digital CR and DR cassettes Four-way multi-directional floating tray Table dimensions: 162cm x 75cm Dimensions : 162 x 96 x 210cm Removable aluminium grid



37 rue du Bois Chaland 91090 LISSES 01 60 86 17 17 info@fas-imagerie.com